and V

	Application No.	Applicant(s)	
Notice of Allowability	10/088,595	WATLING ET AL.	
	Examiner	Art Unit	
	David A. Redding	1744	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to			
2. The allowed claim(s) is/are 23-44.			
3. The drawings filed on 11 June 2002 are accepted by the Examiner.			
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> </ul>			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Inforr 6. ⊠ Interview Sumr	mal Patent Application (PTC	)-152)
_	Paper No./Ma	No./Mail Date <u>5/19/2005</u> .	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date <u>9/3/2002</u></li> </ol>	<u>_</u>		
4.   Examiner's Comment Regarding Requirement for Deposit	•	atement of Reasons for Allo	wance
of Biological Material	9. Other	Other	

 $|\psi| \leq \frac{1}{\log n} \leq$ 

Application/Control Number: 10/088,595

Art Unit: 1744

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Tanger on 5/18/2005.

The application has been amended as follows:

- a) Claim 23, line 19, after "time" insert -through the other branch and enclosure-.
- b) Claim 38, line 7, delete "to be added to" and replace with -in--; line 8, after "gas" insert -but lacks means for adding sterilant--; line 8, delete "which" and replace with -said--.
- c) Claim 39, line 1, delete "further comprising" and replace with –wherein the means for circulating gas further comprises--.
- d) Claim 40, line 1, delete "wherein fans are provided" and replace with –wherein the means for circulating gas further comprises fans--.

The following is an examiner's statement of reasons for allowance: USP 5,876,664 discloses a device and method similar to the instant claimed invention. However the patent does not teach or suggest a method of sterilizing a sealable enclosure by continuing to circulate a carrier gas substantially saturated with sterilant vapor for a predetermined time through one branch of two parallel branches and the enclosure, wherein in the one branch carrier gas is heated and sterilant is added.

Application/Control Number: 10/088,595 Page 3

Art Unit: 1744

Nor does the patent teach or suggest an apparatus for sterilizing a sealable enclosure comprising two parallel branches as defined in the claims in combination with the other elements claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David A. Redding whose telephone number is 571-272-1276. The examiner can normally be reached on Mon.-Fri. 6:00 - 3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Kim can be reached on 571-272-9178. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

David A Redding Primary Examiner Art Unit 1744